



RENAISSANCE

LASER CUT & PRINTED BLINDS CATALOGUE

NBT
CURTAIN SYSTEM




Choose your fabric colour and texture for your Sculpting Light design



D001




6010/19



TR3012



836/10007



ET05



D002



6010/12



TR3035



836/10008



ET02



D003



6010/13



TR3037



836/10009



ET03



D005



6010/14



TR3038



836/10006



ET04



Divine




SL12



SL13




SL14




SL15




Breathe




LEFT



RIGHT



OVERALL



TOP & BOTTOM
TOP OR BOTTOM

Breathe



SL10




TECHNICAL DETAILS


COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	140 CM
TRANSPARENCY:	DIMOUT
THICKNESS APPROX:	0,50 MM
CARE INSTRUCTION:	SPONGEABLE




Blossom




LEFT



RIGHT



TOP LEFT



TOP RIGHT

Blossom




SL9




TECHNICAL DETAILS

COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	140 CM
TRANSPARENCY:	DIMOUT
THICKNESS APPROX:	0,50 MM
CARE INSTRUCTION:	SPONGEABLE







LEFT



RIGHT



OVERALL



TOP & BOTTOM
TOP OR BOTTOM

Rays


SL7




TECHNICAL DETAILS

COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	140 CM
TRANSPARENCY:	DIMOUT
WEIGHT APPROX :	198 G/M ²
THICKNESS APPROX:	0,29 MM
CARE INSTRUCTION:	SPONGEABLE







LEFT



RIGHT



OVERALL



TOP & BOTTOM
TOP OR BOTTOM

Lotus



SL11




TECHNICAL DETAILS


COMPOSITION:	100% POLYESTER
MAX. WIDTH:	140 CM
TRANSPARENCY:	DIMOUT
FABRIC WEIGHT:	APPROX. 210 G/M ²
THICKNESS (DIN EN ISO 5084)	APPROX. 0.51 MM
LIGHT FASTNESS: WINDOW SIDE	> 5-6 (DEP.ON COLOUR) (DIN ISO 105-B02)
RUBING FASTNESS: DRY	> 3-4 (DRY) (DEP. ON COLOUR) (DIN ISO 105-X 12)
CARE INSTRUCTION:	SPONGEABLE




Bubbles




LEFT



RIGHT




MIDDLE



TOP & BOTTOM
TOP OR BOTTOM

Bubbles



SL8




TECHNICAL DETAILS

COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	140 CM
TRANSPARENCY:	DIMOUT
WEIGHT APPROX :	198 G/M ²
THICKNESS APPROX:	0,29 MM
CARE INSTRUCTION:	SPONGEABLE




Imperial



NBT
CURTAIN SYSTEM




LEFT



RIGHT



MIDDLE




TOP & BOTTOM
TOP OR BOTTOM

Imperial



SL2







TECHNICAL DETAILS

COMPOSITION:	100% POLYESTER
MAX. WIDTH:	140 CM
TRANSPARENCY:	DIMOUT
FABRIC WEIGHT:	APPROX. 210 G/M ²
THICKNESS (DIN EN ISO 5084)	APPROX. 0.51 MM
LIGHT FASTNESS: WINDOW SIDE	> 5-6 (DEP.ON COLOUR) (DIN ISO 105-B02)
RUBING FASTNESS: DRY	> 3-4 (DRY) (DEP. ON COLOUR) (DIN ISO 105-X 12)
CARE INSTRUCTION:	SPONGEABLE





NBT
CURTAIN SYSTEM


Ikat




LEFT



RIGHT



MIDDLE




TOP & BOTTOM
TOP OR BOTTOM

Ikat



SL1




TECHNICAL DETAILS


COMPOSITION:	100% POLYESTER
MAX. WIDTH:	140 CM
TRANSPARENCY:	DIMOUT
FABRIC WEIGHT (G/M ²):	APPROX. 185 G/M ²
THICKNESS (DIN EN ISO 5084)	APPROX. 0.40 MM
LIGHT FASTNESS: WINDOW SIDE	> 5-6 (DEP.ON COLOUR) (DIN ISO 105-B02)
RUBING FASTNESS:	> 3-4 (DEP. ON COLOUR) (DIN ISO 105-X 12)
CARE INSTRUCTION:	SPONGEABLE




Tile




LEFT



RIGHT



MIDDLE



TOP & BOTTOM
TOP OR BOTTOM

Tile



SL3




TECHNICAL DETAILS


COMPOSITION:	100% POLYESTER
MAX. WIDTH:	140 CM
TRANSPARENCY:	DIMOUT
FABRIC WEIGHT (G/M ²):	APPROX. 185 G/M ²
THICKNESS (DIN EN ISO 5084)	APPROX. 0.40 MM
LIGHT FASTNESS: WINDOW SIDE	> 5-6 (DEP.ON COLOUR) (DIN ISO 105-B02)
RUBING FASTNESS:	> 3-4 (DEP. ON COLOUR) (DIN ISO 105-X 12)
CARE INSTRUCTION:	SPONGEABLE




Flutter




LEFT



RIGHT



MIDDLE



BOTTOM

Flutter



SL5



TECHNICAL DETAILS

COMPOSITION:	100% POLYESTER
MAX. WIDTH:	140 CM
TRANSPARENCY:	DIMOUT
FABRIC WEIGHT:	APPROX. 210 G/M ²
THICKNESS [DIN EN ISO 5084]	APPROX. 0.51 MM
LIGHT FASTNESS: WINDOW SIDE	> 5-6 [DEP.ON COLOUR] [DIN ISO 105-B02]
RUBING FASTNESS: DRY	> 3-4 [DRY] [DEP. ON COLOUR] [DIN ISO 105-X 12]
CARE INSTRUCTION:	SPONGEABLE




Architecture
Minimal
Design
Concept
Hall
Interior
Frame
Art
Sofa
Light
Rest
New
Rest
Modern
Decorations

&))) >
@)))) } =
+ ? } ^ #
No % !
\$ 0 ///


terior Wall Home
Architecture New
House Room
Art Furniture
Minimal Rest
Concept Sofa
Luxury Penthouse
ht Render Apartment
Living 3d
White
Frame
Decorations

Rose







LEFT



RIGHT



MIDDLE



TOP & BOTTOM
TOP OR BOTTOM

Rose



SL4



TECHNICAL DETAILS

COMPOSITION:	100% POLYESTER
MAX. WIDTH:	140 CM
TRANSPARENCY:	DIMOUT
FABRIC WEIGHT (G/M ²):	APPROX. 185 G/M ²
THICKNESS (DIN EN ISO 5084)	APPROX. 0.40 MM
LIGHT FASTNESS: WINDOW SIDE	> 5-6 (DEP.ON COLOUR) (DIN ISO 105-B02)
RUBING FASTNESS:	> 3-4 (DEP. ON COLOUR) (DIN ISO 105-X 12)
CARE INSTRUCTION:	SPONGEABLE





My Garden



My Garden



K12 K13 K14 K15



Little Jungle



K1 K2A K3 K3A



TECHNICAL DETAILS

COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	290 CM
TRANSPARENCY:	100 % BLACKOUT
COATING:	ACRYLIC COATING
FIRE CLASSIFICATION:	TESTED TO AS 1530 PART III PVC FREE / DUST RESISTANT
PECULIAR SMELL:	NO
HINT FOR CARE & CLEANING:	CONDITIONALLY CLEANABLE WITH DAMP CARE
MATCHING COLOURS & PRINT:	WITHIN USUAL TRADE TOLERANCES





Aqua Fun




K16 K4 K5 K6




TECHNICAL DETAILS

COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	290 CM
TRANSPARENCY:	100 % BLACKOUT
COATING:	ACRYLIC COATING
FIRE CLASSIFICATION:	TESTED TO AS 1530 PART III PVC FREE / DUST RESISTANT
PECULIAR SMELL:	NO
HINT FOR CARE & CLEANING:	CONDITIONALLY CLEANABLE WITH DAMP CARE
MATCHING COLOURS & PRINT:	WITHIN USUAL TRADE TOLERANCES





Smart



K17 K11



TECHNICAL DETAILS

COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	290 CM
TRANSPARENCY:	100 % BLACKOUT
COATING:	ACRYLIC COATING
FIRE CLASSIFICATION:	TESTED TO AS 1530 PART III PVC FREE / DUST RESISTANT
PECULIAR SMELL:	NO
HINT FOR CARE & CLEANING:	CONDITIONALLY CLEANABLE WITH DAMP CARE
MATCHING COLOURS & PRINT:	WITHIN USUAL TRADE TOLERANCES





Flora



Flora



N12 N13 N14 N6



TECHNICAL DETAILS

COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	290 CM
TRANSPARENCY:	100 % BLACKOUT
COATING:	ACRYLIC COATING
FIRE CLASSIFICATION:	TESTED TO AS 1530 PART III PVC FREE / DUST RESISTANT
PECULIAR SMELL:	NO
HINT FOR CARE & CLEANING:	CONDITIONALLY CLEANABLE WITH DAMP CARE
MATCHING COLOURS & PRINT:	WITHIN USUAL TRADE TOLERANCES



Petals &
Bark



Petals



N7 N8 N3



Bark



N1 N9 N10 N11



TECHNICAL DETAILS

COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	290 CM
TRANSPARENCY:	100 % BLACKOUT
COATING:	ACRYLIC COATING
FIRE CLASSIFICATION:	TESTED TO AS 1530 PART III PVC FREE / DUST RESISTANT
PECULIAR SMELL:	NO
HINT FOR CARE & CLEANING:	CONDITIONALLY CLEANABLE WITH DAMP CARE
MATCHING COLOURS & PRINT:	WITHIN USUAL TRADE TOLERANCES





Shapes & Form



Shapes



A1 A3 A3A A4



Form



A5 A6 A7



TECHNICAL DETAILS

COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	290 CM
TRANSPARENCY:	100 % BLACKOUT
COATING:	ACRYLIC COATING
FIRE CLASSIFICATION:	TESTED TO AS 1530 PART III PVC FREE / DUST RESISTANT
PECULIAR SMELL:	NO
HINT FOR CARE & CLEANING:	CONDITIONALLY CLEANABLE WITH DAMP CARE
MATCHING COLOURS & PRINT:	WITHIN USUAL TRADE TOLERANCES





Shimmer



Shimmer



G1 G2 G3 G4



TECHNICAL DETAILS

COMPOSITION:	100 % POLYESTER
MAX. WIDTH:	240 CM
TRANSPARENCY:	DIMOUT
WEIGHT APPROX:	185 G/M ²
THICKNESS APPROX:	0,39 MM
EN ISO 5084	
LIGHT FASTNESS (WINDOW SIDE):	> 5-6 DEPENDING ON COLOUR
SUITABLE FOR MOIST ATMOSPHERE:	YES
CARE INSTRUCTION:	SPONGEABLE

RRP PRICE 2022-2023
RENAISSANCE CATALOGUE

SR. NO	FABRIC CODE	FABRIC NAME	STANDARD ROLLER BLIND		CASSETTE ROLLER BLIND		TI 1029 ONE TOUCH ROLLER BLIND		STANDARD PANEL BLIND		ROMAN BLIND	
			PRICE RS.PER SQ.FT	12% GST INCLUDING PRICE	PRICE RS.PER SQ.FT	12% GST INCLUDING PRICE	PRICE RS.PER SQ.FT	12% GST INCLUDING PRICE	PRICE RS.PER SQ.FT	12% GST INCLUDING PRICE	PRICE RS.PER SQ.FT	12% GST INCLUDING PRICE
1	SL1 to SL15	Sculpting Light	490	549	590	661	722	809	790	885	610	683
2	K1 to K17	Growing Up	490	549	590	661	722	809	790	885	610	683
3	N1 to N14	Nature	490	549	590	661	722	809	790	885	610	683
4	A1 to A7	Abstract	490	549	590	661	722	809	790	885	610	683
5	G1 to G4	Golden Era	490	549	590	661	722	809	790	885	610	683